



**ఆంధ్రప్రదేశ్ రాజపత్రము**  
**THE ANDHRA PRADESH GAZETTE**  
**PUBLISHED BY AUTHORITY**

W.No.12

AMARAVATI, WEDNESDAY, MARCH 27, 2019

G.874

**PART I - NOTIFICATIONS BY GOVERNMENT, HEADS OF DEPARTMENTS  
AND OTHER OFFICERS**

--X--

**NOTIFICATIONS BY GOVERNMENT**

**ENVIRONMENT, FORESTS, SCIENCE & TECHNOLOGY  
DEPARTMENT  
(FOREST.I)**

ANANTHAPUR DIVISION - RESERVATION OF GOOTY RANGE, MUTCHUKOTA  
ADDITIONAL BLOCK-XI DOSALEDU VILLAGE OF PUTLUR MANDAL, TADIPATRI,  
ANANTAPUR DISTRICT - NOTIFICATION UNDER SECTION 4 OF THE ANDHRA  
PRADESH FOREST, ACT, 1967 AS MUTCHUKOTA ADDITIONAL XI BLOCK.

**[G.O.Ms.No. 98, Environment, Forests, Science & Technology (Forest.I),  
29<sup>th</sup> October, 2009.]**

**NOTIFICATION**

In exercise of the powers conferred by section 4 of the A.P. Forest Act, 1967 (Act, 1 of 1967), the Government of Andhra Pradesh, hereby declares that it is proposed to constitute the land within the boundaries specified in the schedule below, as a Reserve Forest under the said Act, and appoints the Forest Settlement Officer, Anantapur, to be the Forest Settlement Officer, in regard to the said land, to enquire into and determine the existence, nature and extent of any rights claimed by, or alleged to exist in favour of, any person in or over the land comprised within such limits, or to any forest produce of such land, and to deal with the same as provided in Chapter-II of the said Act.

**SCHEDULE**

- 1) Name of the District : Anantapur
- 2) Name of the Mandal : Putluru
- 3) Name of the Village : Dosaledu
- 4) Name of the Forest Division : Anantapur
- 5) Name of the Forest Range : Gooty
- 6) Name of the Block : Mutchukota Addition XI
- 7) Area of the Block : 10.25 Acrest (or) 4.15 Ha

| Sl. No.      | Name of Village        | Classification of Land | Survey No. | Extent in Acres       |
|--------------|------------------------|------------------------|------------|-----------------------|
| 1            | Dosaledu Of Putlur (M) | Patta                  | 159-B      | 0.71                  |
| 2            | Dosaledu Of Putlur (M) | Patta                  | 159-C      | 0.75                  |
| 3            | Dosaledu Of Putlur (M) | Patta                  | 159-D1     | 0.51                  |
| 4            | Dosaledu Of Putlur (M) | Patta                  | 163        | 7.30                  |
| 5            | Dosaledu Of Putlur (M) | Patta                  | 164        | 0.65                  |
| 6            | Dosaledu Of Putlur (M) | Patta                  | 165-A      | 0.33                  |
| Grand Total: |                        |                        |            | 10.25<br>(or) 4.15 Ha |

**BOUNDARY DESCRIPTION OF BIT NO-1****EAST**

The boundary line of this block starts from Station No: A to 1 that is tie line for this block. Station A is the Cairn No: 269 of Mutchukota RF notified under section -16, thence the boundary line of the block generally runs in southerly direction to Station No-2 with following magnetic bearings and distances in links.

| Stations From-To |   | Magnetic bearings in Degree | Distance in Links |
|------------------|---|-----------------------------|-------------------|
| A                | 1 | 231                         | 341               |
| 1                | 2 | 183                         | 460               |

**SOUTH:**

Thence the boundary line turns North Westerly direction with the following magnetic bearings and distance to Station No.3

| Stations From-To |   | Magnetic bearings in Degree | Distance in Links |
|------------------|---|-----------------------------|-------------------|
| 2                | 3 | 286                         | 550               |

**WEST:**

Thence the boundary line turns Northerly direction to Station No.4 with the following magnetic bearings and distance.

| Stations<br>From-To |   | Magnetic bearings in<br>Degree | Distance in Links |
|---------------------|---|--------------------------------|-------------------|
| 3                   | 4 | 04                             | 350               |

**NORTH:**

Thence the boundary line runs generally in North east and South easterly direction to Station No-1 which is the starting point of this block with the following magnetic bearings and distances.

| Stations<br>From-To |   | Magnetic bearings in<br>Degree | Distance in Links |
|---------------------|---|--------------------------------|-------------------|
| 4                   | 5 | 78                             | 260               |
| 5                   | 1 | 116                            | 324               |

**BOUNDARY DESCRIPTION OF BIT NO-II****NORTH:**

The boundary line of this block starts from Station No. A to 1 that is tie line for this block. Station A is the Cairn No: 263 of Mutchukota RF notified under section – 16, thence the boundary line of the block generally runs in Easterly and southerly direction to Station No: 6 with the following magnetic bearings and distances in links.

| Stations<br>From-To |   | Magnetic bearings in<br>Degree | Distance in Links |
|---------------------|---|--------------------------------|-------------------|
| A                   | 1 | 273                            | 184               |
| 1                   | 2 | 117                            | 506               |
| 2                   | 3 | 113                            | 280               |
| 3                   | 4 | 111                            | 138               |
| 4                   | 5 | 185                            | 232               |
| 5                   | 6 | 96                             | 196               |

**EAST:**

Thence the boundary line turns southerly direction with the following magnetic bearing and distance to Station No:7

| Stations<br>From-To |   | Magnetic bearings in<br>Degree | Distance in Links |
|---------------------|---|--------------------------------|-------------------|
| 6                   | 7 | 192                            | 655               |

**SOUTH:**

Thence the boundary line runs generally westerly direction to Station No.9 with the following magnetic bearing and distances.

| Stations<br>From-To |   | Magnetic bearings in<br>Degree | Distance in Links |
|---------------------|---|--------------------------------|-------------------|
| 7                   | 8 | 295                            | 648               |
| 8                   | 9 | 300                            | 552               |

**WEST:**

Thence the boundary line turns generally to Northerly direction to Station No.1 which is the starting point of this block, with the following magnetic bearing and distance.

| Stations<br>From-To |   | Magnetic bearings in<br>Degree | Distance in Links |
|---------------------|---|--------------------------------|-------------------|
| 9                   | 1 | 16                             | 759               |

**REMARKS:**

- 1) There are no enclosures to be admitted with in the block.
- 2) There is a Right of way in bit No. I (Panchayat Raj Road) with the length of 116 Meters and width of 3 meters it contains 0.086 acres (or) 0.0348 hectors.

**JANAKI R. KONDAPI,**  
*Special Chief Secretary to Government.*



**ముచ్చుకోట అడిషన్ XI రిజర్వు అడవి భాగం ప్రకటన**

1967, ఆంధ్ర ప్రదేశ్ అటవీ చట్టం(1967లో 1వ చట్టం) లోని 4వ విభాగంద్వారా లభించిన అధికారాలను పురస్కరించుకొని ఆంధ్రప్రదేశ్ గవర్నరుగారు, ఈ క్రింది అను సూచికలో నిర్దిష్టపరచిన సరిహద్దులలోపల గల భూమిని, సదరు అటవీ చట్టం క్రింద రిజర్వు అడవిగా ఏర్పాటుచేయాలని ప్రతిపాదించడం జరిగిందని ఇందు మూలంగా ప్రకటిస్తూ, సదరు భూమికి సంబంధించి ఏవైనా ఆక్షేపణలు ఉన్నట్లయితే వాటిని పరిశీలించడానికి, అట్టి పరిధిలోపల ఉన్నట్టి ఏదైనా భూమిలో లేదా దానిమీద, లేక అట్టి భూమిలోని ఏదైనా అటవీ వృత్తిని ఎవరైనా వ్యక్తి కైముచేసిన లేదా ఆయవరంగా ఉన్నదని ఆరోపించబడిన ఏవైనా హక్కుల యొక్క ఆస్తిత్వాన్ని, స్వభావాన్ని, విస్తృతిని గురించి విచారించి నిర్ణయించడానికి, సదరు చట్టం 2వ అధ్యాయంలో నిబంధించినట్లుగా వాటితో వ్యవహరించడానికి అనంతపురములోని అటవీ సెటిల్మెంట్ అధికారి, అటవీ సెటిల్మెంట్ అధికారిగా నియమింపబడినారు.

**అనుసూచిక**

- |  |   |                                      |
|--|---|--------------------------------------|
| 1) జిల్లాపేరు                                    | : | అనంతపురం                             |
| 2) మండలము  | : | పుట్లూరు                             |
| 3) గ్రామము పేరు                                  | : | దోసలేడు                              |
| 4) అటవీ మండలము పేరు                              | : | అనంతపురం                             |
| 5) అటవీ క్షేత్రము పేరు                           | : | గుత్తి                               |
| 6) రిజర్వు అడవిగా ప్రతిపాదించిన భాగం పేరు        | : | ముచ్చుకోట అడిషన్ XI                  |
| 7) రిజర్వు అడవిగా ప్రతిపాదించిన భాగం విస్తీర్ణము | : | 10.25 ఎకరములు (లేదా) 4.15 హెక్టార్లు |

**ప్రతిపాదించిన భాగంలో చేర్చిన భూముల విస్తీర్ణ వివరములు**

| వరుస సంఖ్య | మండలము పేరు | గ్రామము పేరు | సర్వేనె. | భూమి వర్గీకరణ | విస్తీర్ణము (ఎకరాలలో)           |
|------------|-------------|--------------|----------|---------------|---------------------------------|
| 1          | పుట్లూరు    | దోసలేడు      | 159-బి   | పట్టా         | 0.71                            |
| 2.         | పుట్లూరు    | దోసలేడు      | 159-సి   | పట్టా         | 0.75                            |
| 3.         | పుట్లూరు    | దోసలేడు      | 159-డి1  | పట్టా         | 0.51                            |
| 4.         | పుట్లూరు    | దోసలేడు      | 163      | పట్టా         | 7.30                            |
| 5.         | పుట్లూరు    | దోసలేడు      | 164      | పట్టా         | 0.65                            |
| 6          | పుట్లూరు    | దోసలేడు      | 165-ఎ    | పట్టా         | 0.33                            |
| మొత్తం     |             |              |          |               | 10.25 (లేదా)<br>4.15 హెక్టార్లు |

బిట్-1 యొక్క సరిహద్దుల వర్ణనతొలి :

ఈ అటవీ భాగానికి యొక్క సరిహద్దు స్టేషన్ నెం. ఎ నుండి 1 వరకు టై లైనుగా గుర్తించబడినది. స్టేషన్ నంబర్ ఎ ముచ్చుకోట రిజర్వు అడవి కండ్లపూరాయి నంబరు : 269 గా ఉన్నది. అచ్చటి నుండి సరిహద్దులైను సాధారణముగా దక్షిణ దిశగా స్టేషన్ నెంబరు 2 వరకు ఈ క్రింద చూపబడిన మేగ్నెటిక్ బేరింగు మరియు దూరము కొలతల ప్రకారము వెళ్ళును.

| స్టేషన్ నంబర్లు<br>నుండి వరకు |   | మేగ్నెటిక్ బేరింగులు<br>డిగ్రీలలో | దూరము లింకులలో |
|-------------------------------|---|-----------------------------------|----------------|
| ఎ                             | 1 | 231                               | 341            |
| 1                             | 2 | 183                               | 460            |

దక్షిణము :

అచ్చటి నుండి సరిహద్దు లైను సాధారణముగా వాయువ్య దిశలో తిరిగి ఈ క్రింద కనపరచిన మేగ్నెటిక్ బేరింగులు మరియు కొలతల ప్రకారము స్టేషన్ నంబరు 3ను కలియుటకు వెళ్ళును.

| స్టేషన్ నంబర్లు<br>నుండి వరకు |   | మేగ్నెటిక్ బేరింగులు<br>డిగ్రీలలో | దూరము లింకులలో |
|-------------------------------|---|-----------------------------------|----------------|
| 2                             | 3 | 286                               | 550            |

పడమర :

స్టేషన్ నంబరు 3 నుండి ఈ సరిహద్దు లైను సాధారణముగా ఉత్తర దిశవైపుగా ఈ క్రింద చూపబడిన మేగ్నెటిక్ బేరింగులు మరియు కొలతల ప్రకారము స్టేషన్ నంబరు 4 వరకు వెళ్ళును.

| స్టేషన్ నంబర్లు<br>నుండి వరకు |   | మేగ్నెటిక్ బేరింగులు<br>డిగ్రీలలో | దూరము లింకులలో |
|-------------------------------|---|-----------------------------------|----------------|
| 3                             | 4 | 04                                | 350            |

ఉత్తరము :

అచ్చటి నుండి ఈ సరిహద్దు లైను సాధారణముగా ఈశాన్య మరియు ఆగ్నేయ దిశగా ఈ క్రింద తెలుపబడిన మేగ్నెటిక్ బేరింగులు మరియు కొలతల ప్రకారము స్టేషన్ నెం. -1 ( ప్రథమ స్టేషన్) వరకు పటములో రేఖా చిత్రము చేయబడిన ప్రకారము వెళ్ళును.

| స్టేషను నంబర్లు<br>నుండి వరకు |   | మేగ్నెటిక్ బేరింగులు<br>డిగ్రీలలో | దూరము లింకులలో |
|-------------------------------|---|-----------------------------------|----------------|
| 4                             | 5 | 78                                | 260            |
| 5                             | 1 | 116                               | 324            |

**బిట్ -2 యొక్క సరిహద్దు పర్లన**

**ఉత్తరము :**

ఈ అటవీ బ్లాకు యొక్క సరిహద్దు స్టేషన్ నం: ఎ నుండి 1 వరకు టై లైనుగా గుర్తించడమైనది. స్టేషన్ నంబరు ఎ ముచ్చుకోట రిజర్వు అడవి కండపురాయి నంబరు : 263 గా వున్నది. అచ్చటి నుండి సరిహద్దు లైను సాదారణముగా తూర్పు, దక్షిణ దిశలుగా తిరుగుతూ స్టేషను నెంబరు 6 వరకు ఈ క్రింద చూపబడిన మేగ్నెటిక్ బేరింగులు మరియు దూరము కొలతల ప్రకారము వెళ్ళును.

| స్టేషను నంబర్లు<br>నుండి వరకు |   | మేగ్నెటిక్ బేరింగులు<br>డిగ్రీలలో | దూరము లింకులలో |
|-------------------------------|---|-----------------------------------|----------------|
| ఎ                             | 1 | 273                               | 184            |
| 1                             | 2 | 117                               | 506            |
| 2                             | 3 | 113                               | 280            |
| 3                             | 4 | 111                               | 138            |
| 4                             | 5 | 185                               | 232            |
| 5                             | 6 | 96                                | 196            |

**తూర్పు :**

అచ్చటి నుండి సరిహద్దు లైను సాదారణముగా దక్షిణ దిశగా ఈ క్రింద కనపరచిన మేగ్నెటిక్ బేరింగు మరియు కొలతల ప్రకారము స్టేషన్ నెం. 7ను కలియుటకు వెళ్ళును. .

| స్టేషను నంబర్లు<br>నుండి వరకు |   | మేగ్నెటిక్ బేరింగులు<br>డిగ్రీలలో | దూరము లింకులలో |
|-------------------------------|---|-----------------------------------|----------------|
| 6                             | 7 | 192                               | 655            |



**దక్షిణము :**

స్టేషన్ నంబరు 7 నుండి ఈ సరిహద్దులైన సాదారణముగా పడమర దిశవైపుగా ఈ క్రింద చూపబడిన మేగ్నెటిక్ బేరింగు మరియు కొలతల ప్రకారము స్టేషన్ నంబరు 9 వరకు వెళ్ళును.

| స్టేషను నంబర్లు<br>నుండి - వరకు |   | మేగ్నెటిక్ బేరింగులు<br>డిగ్రీలలో | దూరము లింకులలో |
|---------------------------------|---|-----------------------------------|----------------|
| 7                               | 8 | 295                               | 648            |
| 8                               | 9 | 300                               | 552            |

**పడమర :**

అచ్చటినుండి ఈ సరిహద్దులైన సాదారణముగా ఉత్తర దిశగా ఈ క్రింద తెలుపబడిన మేగ్నెటిక్ బేరింగు మరియు కొలతల ప్రకారము స్టేషన్ నంబరు -1 (ప్రథమ స్టేషన్) వరకు పటములో రేఖాచిత్రము చేయబడిన ప్రకారము వెళ్ళును.

| స్టేషను నంబర్లు<br>నుండి - వరకు |   | మేగ్నెటిక్ బేరింగులు<br>డిగ్రీలలో | దూరము లింకులలో |
|---------------------------------|---|-----------------------------------|----------------|
| 9                               | 1 | 16                                | 759            |

**లిమార్కులు :**

- 1) బ్లాకు యందు అనుమతించవలసిన ఎన్క్లోజర్స్ ఏమియులేవు.
- 2) బ్లాకు యందు బిట్ -1 నందు పంచాయతీరాజ్ కు సంబంధించిన దారి పొడవు 116 మీటర్లు మరియు వెడల్పు 3 మీటర్లు ఉన్నది. దీని వైశాల్యము 0.086 ఎకరములు (లేదా) 0.0348 హెక్టార్లు అనుమతించవలసినది ఉన్నది.

**జానకి ఆర్. కొండపి,**  
ప్రభుత్వ ప్రత్యేక ప్రధాన కార్యదర్శి.